Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11942	(calibrat$5 near6 (scanning or scanner or copier or copying or reader or reading))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:40
L2	505	1 and ((referenc$5 or full or initial$5) near6 calibrat$5) and ((partial$5 or fraction$6 or limit$5) near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:41
L3	4091	358/504,406,505,506,474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:42
L4	16	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:42
L5	15	4 and ((differ$8 or compar$8 or chang$5) with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:45
L6	10	5 and (predetermin$5 or threshold$5 or toleran$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:08
L7	25	2 and (scan$5 near6 head$5 near6 mov$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:11
L8	2	3 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:09
L9	0	2 and (scan$5 near6 head$5 near6 "not" near6 mov$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:11
L10	1	2 and (scan$5 near6 head$5 near6 calibrat$5 near6 mov$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:12

L11	37	(scan$5 near6 head$5 near6 calibrat$5 near6 mov$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:22
L12	9	3 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:13
L13	21	(dark near3 current) and (scan$5 near6 calibrat$5) and (lamp near6 off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:42
L14	12	3 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:26
L15	15	(dark near3 current) and (scan$5 near6 calibrat$5) and (lamp near6 off near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:29
L20	842	(scan$5 near6 calibrat$5) and (lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:41
L22	106	(scan$5 near6 calibrat$5) and (lamp with off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:32
L23	110	(scan$5 near6 calibrat$5) and (lamp with turn$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:32
L25	245	(calibrat$5 with lamp) and (scan$5 with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:36
L27	127	(calibrat$5 with lamp with light$5) and (scan$5 with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:35

L30	129	(lamp with (off or on)) and (scan$5 with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:39
L39	103	(partial with calibrat$5) and (scann$5 with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:40
L40	4	3 and 39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:41
L41	23	(dark near3 current near6 calibrat$5) and (scan$5 near6 calibrat$5) and (lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:44
L42	10	3 and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:43
L43	17	(dark near3 current near6 calibrat$5) and (scan$5 near6 calibrat$5) and (lamp with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:48
L44	10	3 and 43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:44
L45	25	(dark near3 current near6 calibrat$5) and (scan$5 near6 calibrat$5) and ((light or lamp) with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:48
L46	11	3 and 45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:50
L47	624	(calibrat$5 with without with (light$5 or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:55

L48	96	47 and (scan$6 with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:55
L49	20	3 and 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:51
L50	2786	(calibrat$5 with ("with" or use or using) with (light$5 or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:55
L51	377	50 and (scan$6 with calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:56
L52	26	3 and 51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6630	(scan$6 or reader) near6 (calibrat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L2	19	1 and (full near6 calibrat$5) and (partial near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L3	14	2 and ((compar$5 or contrast$5) near6 (calibrat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L4	2552	(scanner or reader) near6 (calibrat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:53
L5	7	4 and (full near6 calibrat$5) and (partial near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:54
L6	4	5 and ((compar$5 or contrast$5) near6 (calibrat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L7	10	4 and (((reference or full) near6 calibrat$5) and (partial near6 calibrat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:43
L8	2956	(scanner or reader or copy$5 or copier) near6 (calibrat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:53
L9	7	8 and (full near6 calibrat$5) and (partial near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:56
L10	5	9 and (((compar$5 or contrast$5) near6 calibrat$5) or ((determin$7 near6 differ$9) near6 calibrat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:58

L11	6	9 and (differ$9 near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:00
L12	3	9 and (differ$9 near6 calibrat$5 near6 full near6 partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:00
L13	3	8 and (differ$9 near6 calibrat$5 near6 full near6 partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:00
L14	3	8 and ((compar$5 or difference or change) near6 calibrat$5 near6 full$5 near6 partial$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:01
L15	4	((compar$5 or difference or change) near6 calibrat$5 near6 full$5 near6 partial$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:02
L16	5636	((compar$5 or difference or change) near6 calibrat$5) and (scanner or reader or copy$5 or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:02
L17	673	((compar$5 or difference or change) near6 calibrat$5) and ((scanner or reader or copy$5 or copier) near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:03
L18	8	17 and ((full$5 near6 calibrat$5) and (partial$5 near6 calibrat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:05
L19	65	((partial$5 near6 calibrat$5) or (partial-calibrat$5)) and ((scanner or reader or cop$6) near6 calibrat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:06